RESIDENTIAL Submittal Packet

SUBMITTING FOR A RESIDENTIAL BUILDING PERMIT PRE-PLAN REVIEW

- 1. SUBMIT THE APPROPRIATE NUMBER OF PLANS FOR REVIEW along with a completed <u>Application for</u> Residential Building Permit Pre-Plan Review.
 - a. Two (2) complete sets of construction documents along with detailed site plan AND one PDF version submitted via e-mail to admin@villageofbentleyville.com.
- **2.** For buildings or structures located in flood hazard areas, contact the Village of Bentleyville Engineer's Office before applying for a building permit.
- **3.** All plans submitted shall bear sufficient information to determine compliance with Village of Bentleyville Codified Ordinances and the latest edition of the Residential Code of Ohio (RCO). Drawings shall also indicate clearly the principle use of the building or structure. The floor area for such uses shall be clearly shown on plans.
 - a. All submittals must include the appropriate sets of construction documents as determined above.
 - b. **Index:** Index of all drawings on first sheet.
 - c. <u>Floor Plans</u>: Complete floor plans, including plans of full or partial basements and full or partial attics. Floor plans must show all relevant information such as door swings, stairs and ramps, windows, shafts, all portions of the means of egress, etc., and shall be sufficiently dimensioned to describe all relevant space sizes. Wall materials shall be described by cross-hatching (with explanatory key), by notation, or by other clearly understandable method. Spaces must be identified by how each space is intended to be used.
 - d. <u>Exterior Wall Envelope</u>: The residential construction documents shall provide details of the exterior wall envelope as required, including flashing, intersections with dissimilar materials, corners, end details, control joints, intersections at roof, eaves, or parapets, means of drainage, water-resistive membrane, all elevations necessary to completely describe the exterior of the residential building including floor to floor dimensions, and details around openings. See the <u>2013 RCO Energy Compliance Declaration Form</u>.
 - e. <u>Sections</u>: Cross sections, wall sections, details including typical connections as required to fully describe the residential building construction showing wall, ceiling, floor and roof materials. Residential construction documents shall describe the exterior wall envelope in sufficient detail to determine compliance with this code.
 - f. <u>Structure</u>: Complete structural description of the residential building including size and location of all structural elements used in the design of the residential building and other data as required to fully describe the structural system.
 - g. <u>System Descriptions</u>: Description of the mechanical, plumbing and electrical systems, including: materials; location and type of fixtures and equipment; materials, and sizes of all ductwork; location and type of heating, ventilation, air conditioning and other mechanical equipment and all lighting and power equipment. See the <u>2013 RCO System Descriptions Form</u>.
 - h. <u>Additional Information</u>: Additional graphic or text information as may be reasonably required by the residential building official to allow the review of special or extraordinary construction methods or equipment.
 - i. <u>Manufacturer's Installation Instructions</u>: As required by this code, shall be available on the job site at the time of inspection.

SUBMITTING FOR A RESIDENTIAL BUILDING PERMIT PRE-PLAN REVIEW

- j. <u>Amended Construction Documents</u>: If substantial changes to the residential building are contemplated after first document submission, or during construction, those changes must be submitted in duplicate with an <u>Application for Residential Building Permit Plan Review</u> to The Village of Bentleyville Building Department for review and approval.
- 4. SITE PLAN / LOT TOPO REQUIREMENTS FOR NEW DWELLING. Provide the following:
 - Stamp and Seal of Professional Engineer or Surveyor
 - Benchmark tied to CRGS elevation datum
 - Adjacent home first floors and setbacks from property lines
 - Setbacks from Property lines and R/W
 - Label parcel size, property line distances, bearings and corner markers
 - Size and locations of utility and sewer connections, and sizes of utilities in R/W
 - Sewer inverts of upstream and downstream manholes
 - One ft. contours for flat lots, two foot contours for hilly lots
 - Basement, first floor and garage elevations
 - Spot elevations (exist and proposed) at house corners and spot elevations to adequately define drainage paths
 - Drive culvert size and type (Minimum 12", 25 ft. long)
 - Sanitary test tee detail for lots with sewer connection, trench detail showing 6" stone under and 12" stone over sanitary pipe
 - For lots with catch basins in yard or drive, provide elevation information and detail of basin
 - Storm Water Pollution Prevention Plan (SWP3) conforming to Chapter 1448 of the Codified Ordinances.
 - For lots with sanitary sewer connections, include note "Contact Village Engineer 48 hours prior to installation of sanitary sewer to arrange for inspection"
 - Other details may be necessary for particular lots. Village Engineer will note these on plan review.
- **5. SITE PLAN REQUIREMENTS FOR STRUCTURES OTHER THAN NEW DWELLINGS.** Provide a site plan with the following:
 - Plan showing the boundaries (property lines) of the parcel
 - Existing buildings or structures
 - Location of the proposed structure
 - Setback measurements from the adjacent property lines
- 6. SURVEY REQUIREMENTS: For fences in new locations or fences not replacing existing fences in their current location, a property line survey is required and the property lines clearly staked, prior to the issuance of a permit. For structures within one (1) foot of the minimum setback requirement, a property line survey of the affected property line is required and the property lines clearly staked, prior to the issuance of a permit.
- **7. WATER SUPPLY (for new dwelling)** Provide source of water confirmation. (Public water supply or Private well)
- 8. SANITARY SEWERS/ SEPTIC SYSTEMS (for new dwellings) If public sanitary sewers are not accessible, an individual disposal system must be installed in accordance with the Cuyahoga County Health Departments' requirements. Provide approval from the Cuyahoga County Health District.

SUBMITTING FOR A RESIDENTIAL BUILDING PERMIT PRE-PLAN REVIEW

- 9. **AFTER BUILDING PERMIT PLAN REVIEW.** The Building Official will determine the following:
 - If plans can be approved as submitted.
 - If plans need revised and / or need additional information.
 - If proposed project needs to be brought before the Planning and Zoning Commission and Village Council if a variance is required.
 - i. If proposed project needs to be reviewed by the Planning Commission the applicant will need to request to be on the next Planning Commission agenda, and the owner or owners representative will need to be present for the meeting. Note: in order to be on the next Planning Commission agenda, plans must be submitted two weeks prior to the next scheduled meeting

APPROVAL / PERMIT INFORMATION

BUILDING: A building permit shall be obtained before proceeding with any construction, alteration, repair, moving or demolition of any structure, deck, swimming pool, etc.

ZONING: A zoning permit shall be obtained when a building permit is not required.

<u>SEPARATE APPROVALS / PERMITS Shall Be obtained for the Following</u>: Electrical, HVAC, Gas Piping, Hydronics, Fire Sprinkler, Plumbing and any other equipment that are essential features in the construction or use of the structure.

- Approvals / Permits of any type will be issued only after compliance with The Village of Bentleyville Codified Ordinances & the current addition of the Residential Code of Ohio applicable.
- > The proposed work must be done in accordance with approved plans, specifications, local ordinances, codes and standards.
- It is the duty of the General Contractor / Applicant to insure that all required inspections are scheduled and all work installed has been approved by the Village of Bentleyville Building Department prior to proceeding to the next phase of construction. The General Contractor / Applicant is responsible to obtain a <u>FINAL</u> inspection at the completion of the project.
- Approvals / Permits become null and void if work or construction authorized is not commenced within 12 months, or if construction or work is suspended or abandoned for a period of 180 consecutive days at any time after work is commenced.

<u>SCHEDULING INSPECTIONS</u>: Please call SafeBuilt Monday – Friday between the hours of 9am – 12 noon and 1pm – 4 pm. They are closed for lunch between 12 noon – 1pm.

24 hour minimum notice for ALL inspections

Please be prepared to give the following information when scheduling your inspection:

Permit number

Contractor

Contractor contact name

Phone number

Type of inspection

TO SCHEDULE INSPECTION CALL 440-399-0850

<u>RE-INSPECTION FEES</u>: A Re-inspection Fee will be charged when the inspector must return to work that was not ready at the scheduled time, building was locked, approved construction documents were not on site, and / or had failed a previous inspection. Fee must be paid prior to scheduling a final inspection, or if two (2) fees are assessed on a project, fees are due before the next inspection is scheduled.

Village of Bentleyville, Ohio

6253 Chagrin River Road - Village of Bentleyville Ohio, 44022
Phone: (440)247-5055 Fax: (440)247-3755 Email: admin@villageofbentleyville.com

APPLICATION FOR RESIDENTIAL ZONING AND BUILDING PERMIT PLAN REVIEW

Please print or type and fill out any and all sections that are applicable to the proposed project.

Date Submitted:	Owners Name(s):			Owners Contac	t Number(s):	
Street Address of Con	struction:		Perm Parcel No:	<u> </u>	Sublot No:	
General Contractor: Phone		Phone Num	ber(s):	E	-Mail Address:	
PROJECT TYPE (Che NEW DWELLING CHANGE OF US DETACHED GAF OTHER: PLUMBING: YES	ALTERATION DEMOLITION ARAGE ESTIMATED	DECK SHED FINISHEE	POOL FENCE D BASEMENT COST:	☐ PATIO		
specifications, code		eparate perm				the approved plans, et include: electrical,
approved by The		e Building De	partment prior to	proceeding to	the next phase	ork installed has been of construction. The
•	es null and void if wo					ths, or if construction nenced.
provisions of laws	and ordinances gov ge of Bentleyville Bu	erning this ty	pe of work will I	e complied wit	th whether spec	te, and complete. All ified herein or not. I te inspections for the
	PUBLIC DOCUMENT IS A HABLE BY UP TO SIX (6)					DEMEANOR OF THE
HOMEOWNER PRINTED NAME:			<u>GENERA</u> PRINTED	L CONTRACTOR: NAME:		
SIGNATURE:			SIGNATU	JRE:		
ADDRESS:			ADDRES	 S:		
CITY:			CITY:	CITY:		
TEL#:	FEL#:		TEL#:	TEL#:		
CELL #:			CELL #:			
EMAIL:	EMAIL:		EMAIL:			
	: DATE APPLICANT	NOTIFIED.		PERMIT		

Square Footage Form PLEASE FILL OUT AND SUBMIT WITH BUILDING PLANS

General Contractor / Owner		
Name: Address of Construction:		
Address of Colistitution.		
	New Dwellings	
1st Floor Footage		
2 nd Floor Footage		
3 rd Floor Footage		
Finished Basement Footage		
Attached Garage Footage		
Covered Porch(es) Footage		
Covered Deck(s) Footage		
Total Square Footage		
Additions, Alterations, Garage	es. Accessory Buildings.	Decks, Porches, Patios, Miscellaneous
radions, rater actions, our ag	by Heedsbory Dundings,	Decis, 1 of ches, 1 ut/os, 1/11sechuneous
1 st Floor Footage		
2 nd Floor Footage		
3 rd Floor Footage		
Finished Basement Footage		
Attached Garage Footage		
Covered Porch(es) Footage		
Covered Deck(s) Footage		
Total Square Footage		

2013 Residential Code of Ohio (RCO) Energy Compliance Declaration Form

2013 Residential Code of Ohio 1101.2 Compliance

Compliance shall be demonstrated by meeting the requirements of *one of the following options:*

- 1. The "International Energy Conservation Code"; or
- 2. Sections 1101 through 1104 of this chapter; or
- 3. Section 1105 "T he Ohio Home Builder's Association (OHBA) Alternative Energy Code Option"

Applicant shall indicate the energy compliance option below:

2009 International Energy Conservation Code (IECC) Please check one of the following:
☐ Res Check based on the 2009 IECC
☐ Prescriptive method based on 2009 IECC Table 402.1.1
☐ Prescriptive method based on U- Factor alternative 2009 IECC 402.1.3
☐ Prescriptive method based on Total UA alternative 2009 IECC 402.1.4
2013 RCO Sections 1101-1104, Prescriptive Method
2013 RCO Section 1105 "The Home Builder's Association Alternative Energy Code Option"
☐ Compliance Path #1
□ Compliance Path #2

2013 Residential Code of Ohio (RCO) Systems Description Form

This form may be submitted in lieu of fully detailed plans for the following systems:

Applicant:		Homeowner:		
Office Phone #	Cell Phone #		Homeowner Phone #	
Email:				
Project Description:				
Address of Project:				

Electrical System Description a,b

Service Size (Amps)	Size of Service Entrance Conductors	Panel Location(s)	Number of Sub-Panels	<u>Location</u>
□ 100 Amp □ 200 Amp □ Over 200 Amp				□ Overhead □ Underground

- a. A detailed electrical diagram for services over 200 amps may be required for review and approval.
- Detailed electrical and gas piping diagrams for generator installations may be required for review and Approval.

ITEM	No.	ITEM	No.	ITEM	No.
120 V outlet, switches or		Laundry Tub		Pressure Reducing	
light fixtures		Laundry 1 ub		Valve	
220 Volt Outlets		Floor Sink		Garbage Disposal	
Electric Baseboard Heat		Sump Pump		Clothes Washer	
(# units)		Sump Fump		Ciotiles wasilei	
Kitchen Sink		Floor Drain		Dishwasher	
Bathtubs/Shower		Hot Water Heater		Backflow Device	

HVAC System Description

Heating Ed	quipment Type, Size & Efficiency	Design Heat Loss (Btu/h)	Type of Fuel	Location of Equipment
□ Forced Air □ Boiler □ Heat Pump □ Electric	Btu/h		 □ Natural Gas □ LP □ Oil □ Electric 	□ Basement □ Attic □ Closet □ Crawl Space □ Outdoor
□ Heat Pump	Btu/h Eff.		□ Oil	

Cooling Equ	nipment Type, Size & Efficiency	Design Heat Gain (Btu/h)	Location of Equipment
1	Btu/h Eff Btu/h Eff kW(Btu/h) Eff		□ Outdoor □ Other
Area of	Conditioned Space (sq. ft.)	Duct Size (Supply and Ret	turn)

Fuel Gas System Description

Number of Fuel Gas Outlets	Size of Fuel Gas Main	Piping Materials
		□ Steel Pipe Sch. 40 □ CSST □ Other

Plumbing System Description

ITEM	No.	ITEM			No.	IJ	ГЕМ	No.		
Water Closet		Laundry Tub				Pressure Reducing Valve				
Lavatory Sink		Flo	or Sink				Garbage Disposal			
Hot Tub		Sur	np Pump				Clothes Washer			
Kitchen Sink		Floor Drain				Dishwasher				
Bathtubs/Shower		Hot Water Heater				Backflow Device				
	Locatio	n:	n: Basement Gara		age	☐ Attic ☐ Other		☐ Other		
Water Heater:	Vater Heater: Fuel Type:		□ Natural Gas □ Elec		ectric					
	Capaci	ty	BTU: Gallor		lons:		☐ Tankless			
	Type:	□ Copper				□ PVC/Plastic □ Other		☐ Other		
Water Service:	Size:		□ 3/4"	□ 1"	,	□ 1-1/4"	•	□ 1-1/2"	2"	

Isometric Plan: (use separate sheet if needed)

INSPECTION REQUIREMENTS

JOB SITE ADDRESS must be posted during the entire construction project.

APPROVED JOB COPY CONSTRUCTION DOCUMENTS MUST BE AVAILABLE ON ALL JOBS FOR ALL INSPECTIONS. If approved construction documents are not on the job site, a re-inspection must be scheduled – PLEASE NOTE A RE-INSPECTION FEE WILL BE ASSESSED.

RE-INSPECTION FEES:

 A Re-inspection Fee will be charged when the inspector must return to work that was not ready, building was locked and inspector could not gain access, approved construction documents not on site, and / or had failed a previous inspection. Fee must be paid prior to scheduling final inspection, or if two (2) fees are assessed on a project, fees are due before the next inspection is scheduled.

SCHEDULING INSPECTIONS:

- Please call SafeBuilt Monday Friday between the hours of 9 am 4 pm. They are closed for lunch between 12 noon 1pm. A 24-hour minimum notice for ALL inspections is required.
- Please be prepared to give the following information when scheduling your inspection: **Permit number / Contractor / Contractor contact name / Phone number / Type of inspection.**

TO SCHEDULE AN INSPECTION CALL SAFEBUILT AT: 440-399-0850

FOOTING / PADS / PILING / POST HOLE INSPECTIONS:

Upon completion of footing forms, reinforcement, etc. but <u>BEFORE PLACING CONCRETE</u> schedule a pre-pour inspection. A minimum of a <u>ONE HOUR</u> window is required when scheduling for inspection.

PRE-FORM CONCRETE FOUNDATION WALLS:

Upon completion of wall forms, reinforcement, etc. but <u>BEFORE PLACING</u>
 <u>CONCRETE</u> schedule a pre-pour inspection. A minimum of a <u>ONE HOUR</u> window is required when scheduling for inspection.

FOUNDATION INSPECTION:

 Upon completion of water proofing, drain tile with stone in place, and prior to backfilling.

WATERPROOFING (existing structure):

- Upon completion of water proofing, drain tile with stone in place, and prior to backfilling.
- Dye test

STORM DRAINAGE SYSTEM INSPECTION:

After complete installation of all underground storm system drainage components.

Note: Exposure of entire storm drain system and branches must be visible and have full continuous support upon a bed of stone or gravel.

UNDER SLAB UTILITIES INSPECTION:

After all service equipment, conduit, piping accessories and other ancillary equipment items are
in place, but <u>BEFORE PLACING ANY CONCRETE OR INSTALLING ANY FLOOR SHEATHING,</u>
<u>INCLUDING THE SUB FLOOR</u> schedule a pre-pour and/or pre-sheathing inspection. A Minimum
of a **ONE HOUR** window is required when scheduling for inspection.

CONCRETE OR ASPHALT SLAB / DRIVEWAY / PATIO PRE-POUR INSPECTION:

 Upon completion of insulation, vapor barriers, mesh, reinforcement, subbase preparation, forms etc. but <u>BEFORE INSTALLING ASPHALT OR CONCRETE</u> schedule a pre-pour inspection.

UNDERGROUND ELECTRIC / MECHANICAL / GAS PIPING / ETC. INSPECTION:

 After complete underground installations of all electrical conduit, ductwork, hydronic piping, fuel gas piping.

Note: for electrical conduit and gas piping installations it is only necessary to leave three feet of each end of the trench open for inspection; on connections over 100 feet in length the middle portion of the trench will also need to be left open for inspection.

UNDERGROUND PLUMBING / SANITARY INSPECTION:

After complete installation of all underground plumbing & sanitary systems components.

Note:

- Exposure of pipe sleeve and entire building drain and branches must be visible inside and outside of the exterior wall and have full continuous support upon a bed of stone or gravel. The entire underground system must be under test with 5 psi of air for 15 min. or 10' head of water if water tested.
- Within the Chagrin Falls service area, obtain inspections for sanitary sewer and water connections from the Village of Chagrin Falls Utilities Dept.

MASONRY FIREPLACE INSPECTION:

 To be inspected at the top of smoke chamber when first flue tile is set and smoke chamber purged.

ROUGH-IN INSPECTIONS:

- All Additional Permits must be on file (electrical, plumbing, mechanical, gas piping, etc.)
- Rough-in inspection compliance approval for Framing / Structure, Electrical, Plumbing, Mechanical, Gas Piping, Pre-Fabricated Fireplaces and any other essential components relevant to the overall construction in any area, is required before concealment.

ENERGY EFFICIENCY – INSULATION INSPECTION:

- After all rough inspections and any other work that may be concealed have been inspected for compliance.
- Insulation is completely installed but prior to placement of any drywall or other covering.
- Inspections shall include, but not limited to, inspections for envelope insulation R and U value, fenestration U value, duct system R value, and HVAC and water heating equipment efficiency.

FIRE RESISTANCE RATED CONSTRUCTION INSPECTIONS:

- Protection of joints and penetrations in fire-resistance-rated assemblies shall not be concealed from view until inspected for compliance.
- After all wallboard is installed and before wallboard joints and fasteners are taped and finished.

ROOF INSPECTION:

- **Ice Guard Inspection:** After Ice Guard is applied but before any roof coverings (shingles) are installed.
- **Final Inspection:** For re-roof projects a final inspection is required. For all other projects a final roof inspection can be performed at the time of the final building inspection.

ELECTRICAL SERVICE INSPECTION (temporary or permanent):

- **Temporary Power Pole**: prior to utility company hook up.
- **Permanent Electrical Service:** When main panel is installed and grounding is complete with cover off prior to utility company hook up.
- **Service Underground:** When Wire / Feeder, direct burial warning ribbon and conduit (if required) has been installed.

Note: it is only necessary to leave three feet of each end of the trench open for inspection; on runs over 100 feet in length the middle portion of the trench will also need to be left open for inspection.

DEMOLITION INSPECTION:

- Clean hole inspection: If a structure being demolished has a foundation an inspection is required after all concrete, stone, masonry etc. has been removed from the hole and before any clean backfill is placed.
- **Final inspection**: A final inspection is required after all demolition debris, driveway (if applicable) and any other materials from the structure have been removed and all areas disturbed by the demolition are reseeded and prepared for new grass growth.

FINAL INSPECTION:

• Final inspection approval is required upon completion and compliance with all phases of any construction **prior to occupancy** and after payment of any re-inspection fees.

CERTIFICATE OF OCCUPANCY:

- Certificate of Occupancy will be issued after the following is completed and confirmed:
 - Final Inspection has been performed and construction is confirmed to be in compliance with the Approved Construction Document / Certificate of Plan Approval.
 - o Final Grade / Drainage approval from the Village Engineer.

MISCELLANEOUS INSPECTIONS:

- Fence post holes: Upon completion of footing forms, reinforcement, etc. but <u>BEFORE PLACING</u>
 <u>CONCRETE</u> schedule a pre-pour inspection. A minimum of a <u>ONE HOUR</u> window is required
 when scheduling for inspection.
- Setback / Job Completion Confirmation: All construction projects exempt from building code but requiring a zoning permit require a verification of lot location and confirmation of project completion.

Note: It is the owner's responsibility to comply with and verify all setback requirements set forth in the village ordinances.

Village of Bentleyville, Ohio

6253 Chagrin River Road - Village of Bentleyville Ohio, 44022 Phone: (440)247-5055 Fax: (440)247-3755 Email: admin@villageofbentleyville.com

CONTRACTOR REGISTRATION

Contractors must register annually using the appropriate form(s) provided by the Village of Bentleyville's Building Department. All contractors doing work in the Village are required to register with the Village for both residential and commercial work.

The following contractors are registered annually (January 1^{st} – December 31^{st}) at a fee of \$75:

ELECTRICAL: requires a copy of your State of Ohio Electrical License

> GAS PIPING: requires a copy of your State of Ohio Plumbing or HVAC License

note: a registered HVAC or plumbing contractor can install gas

piping and obtain any required permits for gas piping.

PLUMBING: requires a copy of your Ohio Plumbing License
 HVAC: requires a copy of your State of Ohio HVAC License
 REFRIGERATION: requires a copy of your Ohio Refrigeration License
 HYDRONICS: requires a copy of your Ohio Hydronics License

 note: for residential work only a registered HVAC or plumbing contractor can obtain any required permits for hydronics.

FIRE SAFETY: requires a copy of your State Fire Marshal Company Annual Certificate

(including but not limited to fire alarms, fire suppression and fire

sprinklers)

➤ **GENERAL**: all other contractors not listed above (i.e. general contractors, roofers,

excavators, septic, concrete and paving, tree trimming/removal,

painting, siding, windows, etc.)

Registrations are valid January 1^{st} – December 31^{st} of each calendar year. The following items must be received at the time of registration in order to process the registration request:

- Registration Application form
- R.I.T.A. Tax form 48
 - Call R.I.T.A. Business Registration Department with questions on filling out this form at 440-526-0900 ext. 5008
- > \$25,000 bond standard form from your insurance company
 - note: if applying for multiple registrations only one bond is required
- Certificate of Liability Insurance (must list Village of Bentleyville as additional insured)
 - \$100,000/\$300,000 liability insurance
 - \$100,000/\$300,000 property damage insurance
- > \$75 registration fee
- > Copy of driver's license of owner or license holder in company

If you send in the paperwork via U.S. mail, please enclose a self-addressed and stamped envelope in order to have your registration sent to you.

Village of Bentleyville, Ohio
6253 Chagrin River Road - Village of Bentleyville Ohio, 44022
Phone: (440)247-5055 Fax: (440)247-3755 Email: admin@villageofbentleyville.com

APPLICATION FOR REGISTRATION OF CONTRACTORS MUST BE RENEWED JANUARY $\mathbf{1}^{\text{st}}$ OF EACH CALENDAR YEAR

Name of Applicant		Type of Trade				
Company Name		Address				
City/State/Zip		Phone () -	Fax () -			
E-Mail of Company		E-Mail of Applicant (company e	mail)			
Federal ID #						
Bonding Agent		Amount of Bond				
Address		City/State/Zip				
Phone () -	Fax () -	E-Mail				
	,					
Insurance Company		Amount of Insurance \$				
Address		City/State/Zip				
Phone () -	Fax () -	E-Mail				
Are you registered/license	ed in any other city?	☐ Yes ☐ No				
If yes, where:						
Present job site in Bentley	ville:					
Names of additional comp	oany employees authorized	d to obtain permits:				
Signature of Applicant		Date				
Please send in or drop off all forms along with your \$75 registration fee. Thank you!						